



## NFC/RFID Tag and Transponder Cylindrical Glass 13560kHz 2Kbit RFIDP Bulk

<b>Manufacturer:</b>	<a href="#">Texas Instruments, Inc</a>
<b>Package/Case:</b>	SMD
<b>Product Type:</b>	RF Integrated Circuits
<b>RoHS:</b>	RoHS Compliant/Lead free 
<b>Lifecycle:</b>	Active



Images are for reference only

[Inquiry](#)

### General Description

#### Key Features

ISO/IEC 15693-2,-3, ISO/IEC 18000-3 compliant

13.56-MHz operating frequency

2048-bit user memory in 64 × 32-bit blocks

User and factory lock per block

Application family identifier (AFI)

Data storage format identifier (DSFID)

Combined inventory read block

### Recommended For You

#### TRF7962ARHBR

Texas Instruments, Inc

VQFN32

#### TRF7962ARHBT

Texas Instruments, Inc

QFN32

#### TRF370417IRGET

Texas Instruments, Inc

VQFN-24

#### RF37S114HIFJB

Texas Instruments, Inc

RFIDN

#### TRF370333IRGET

Texas Instruments, Inc

QFN

#### TRF7970ARHBR

Texas Instruments, Inc

QFN32

**TRF37D73IDSGT**

Texas Instruments, Inc  
WS0N-8

**TRF7970ARHBT**

Texas Instruments, Inc  
QFN32

**TRF372017IRGZT**

Texas Instruments, Inc  
VQFN-48

**RF-HDT-DVBE-N2**

Texas Instruments, Inc  
(TEC)

**TRF3710IRGZR**

Texas Instruments, Inc  
VQFN48

**TRF372017IRGZR**

Texas Instruments, Inc  
QFN48

**TRF4400PWR**

Texas Instruments, Inc  
BGA

**TRF371125IRGZT**

Texas Instruments, Inc  
48-VQFN

**TRF37C75IDSGT**

Texas Instruments, Inc  
WS0N(DSG)